

rear connection stud flat 3 units accessory for: 3VA25



Model			
product brand name		SETRON	
product designation		rear connection stud flat, vertical	
accessories		rear connection stud flat, vertical	
Mechanical Design			
Net Weight		3.225 kg	
Connections according IEC			
thickness / of the busbar / minimum		5 mm	
thickness / of the busbar / maximum		10 mm	
width / of the busbar / maximum		100 mm	
Connetctions according UL			
width / of the busbar / maximum		4.5 in	
thickness / of the busbar / minimum		0.2 in	
thickness / of the busbar / maximum		0.39 in	
Certificates			
General Product Approval		EMV	Test Certificates



EG-Konf.




[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

Maritime application	other	Environment	
The Lloyd's Register LRS logo, indicating maritime certification.	Confirmation	Miscellaneous	Environmental Confirmations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9603-0QE00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VA9603-0QE00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



last modified:

4/3/2025 

