


circular conduc. terminal TA7.2 4 x 600...750 kcmil for 4 cables; 1 unit accessory for: circuit breaker, 3-pole 3VA58; 3VA68



Model			
product brand name		SETRON	
product designation		Circular conductor terminal 1 unit	
accessories		Wire connector	
General technical data			
designation / of the terminal		TA7.2	
type of electrical connection / with control wire tap		No	
Mechanical Design			
Net Weight		1.254 kg	
Connections according IEC			
stripped length		30 mm	
Connetctions according UL			
permissible temperature / of connectable conductor / according to UL 486A-486B		75 °C	
stripped length		1.2 in	
connectable conductor cross-section			
• for copper cable / stranded / minimum		600 kcmil	
• for copper cable / stranded / maximum		750 kcmil	
• for aluminum cable / stranded / minimum		600 kcmil	
• for aluminum cable / stranded / maximum		750 kcmil	
tightening torque / when using copper cables			
• stranded		600-750 kcmil: 480 lb-in	
Certificates			
General Product Approval		EMV	Test Certificates
 EG-Konf.			 RCM
		Type Test Certificates/Test Report	
Maritime application		other	Environment
 LRS	Confirmation	Miscellaneous	Environmental Confirmations
		Environmental Confirmations	
Further information			
Information on the packaging			

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9771-0JJ44>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9771-0JJ44>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9771-0JJ44

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

5/11/2025 

