


circular conduc. terminal TA7.3 5 x 300...600 kcmil for 5 cables; 1 unit accessory for: circuit breaker, 3-pole 3VA58; 3VA68



Model	
product brand name	SETRON
product designation	Circular conductor terminal 1 unit
accessories	Wire connector
General technical data	
designation / of the terminal	TA7.3
type of electrical connection / with control wire tap	No
Mechanical Design	
Net Weight	1.34 kg
Connections according IEC	
stripped length	30 mm
Connetctions according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C
stripped length	1.2 in
connectable conductor cross-section	
• for copper cable / stranded / minimum	300 kcmil
• for copper cable / stranded / maximum	600 kcmil
• for aluminum cable / stranded / minimum	300 kcmil
• for aluminum cable / stranded / maximum	600 kcmil
tightening torque / when using copper cables	
• stranded	300-400 kcmil: 600 lb-in; 500-600 kcmil: 780 lb-in
Certificates	
General Product Approval	EMV



[Confirmation](#)

[Miscellaneous](#)



Test Certificates	Maritime application	other	Environment		
Type Test Certificates/Test Report		Confirmation	Miscellaneous	Environmental Confirmations	Environmental Confirmations

Further information
Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9771-0JJ53>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9771-0JJ53>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9771-0JJ53

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

5/11/2025 

