

circular conduc. terminal TA7.1 6 x 1/0...750 kcmil for 6 cables; 3 units accessory for: circuit breaker, 3-pole 3VA57/58; 3VA67/68



Model			
product brand name		SETRON	
product designation		circular conductor terminal 3 units	
accessories		Wire connector	
General technical data			
designation / of the terminal		TA 7.1	
type of electrical connection / with control wire tap		No	
Mechanical Design			
Net Weight		2.405 kg	
Connections according IEC			
stripped length		34/45 mm	
Connetctions according UL			
permissible temperature / of connectable conductor / according to UL 486A-486B		90 °C	
stripped length		1.34/1.78 in	
connectable conductor cross-section			
• for copper cable / stranded / minimum		1/0 AWG	
• for copper cable / stranded / maximum		750 kcmil	
• for aluminum cable / stranded / minimum		1/0 AWG	
• for aluminum cable / stranded / maximum		750 kcmil	
tightening torque / when using copper cables			
• stranded		1/0-750 kcmil: 375 lb-in	
Certificates			
General Product Approval		EMV	Test Certificates
			
		Type Test Certificates/Test Report	
Maritime application		other	
Environment			
	Confirmation	Miscellaneous	Environmental Confirmations
		Environmental Confirmations	
Further information			
Information on the packaging			

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9773-0JJ64>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9773-0JJ64>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9773-0JJ64

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

8/8/2025 

