SIEMENS

Data sheet 5SF5068

DIAZED fuse base Size DII Molded plastic, 3-pole touch-protected (BGV A2)
Access: Double function terminal Outgoing feeder: Box terminal 25A 500 V AC



Figure similar

Model	
product brand name	SENTRON
design of the product	DIAZED base
design of the fuse base	gauge inset
General technical data	
number of poles	3
size of fuse system according to EN 60269-1	DII
Supply voltage	
supply voltage at AC	500 V
Product details	
product component cover	Yes
Mechanical Design	
height	120 mm
width	80 mm
depth	55 mm
fastening method	DIN rail
Net Weight	344 g
material of the enclosure	plastic

Approvals Certificates


General Product Approval	other	Environment
UKCA CE EG-Konf. EAC 产品合格 QC PASS	Confirmation	Environmental Confirmations


Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SF5068
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5SF5068
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SF5068
CAx-Online-Generator
https://www.siemens.com/cax

Subject to change without notice
© Copyright Siemens

Tender specifications
https://www.siemens.com/specifications





last modified: 4/12/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens