SIEMENS

Data sheet 5SG7234-1



D0 switch disconnector, with fuse 400 V D02 63 A 3-pole, for 60 mm busbar system with screwless terminals

Model	
product brand name	MINIZED
product designation	Switch disconnectors with fuses
design of the product	For 60 mm 8US busbar system
General technical data	
number of poles	3
size of fuse system according to EN 60269-1	D02
Voltage	
surge voltage resistance rated value	6 kV
Supply voltage	
operating voltage at AC rated value	400 V
Protection class	
protection class IP	IP20, with connected conductors
Dissipation	
power loss [W]	
● for rated value of the current at AC in hot operating state per pole	7.5 W
Product details	
product feature sealable	Yes
Mechanical Design	
height	79 mm
width	27 mm
depth	200 mm
mounting position	any, preferably vertical
Net Weight	373.5 g

Approvals Certificates


General Product Approval		other	Environment	
Confirmation	EAC	产品合格 QC PASS	Confirmation	Environmental Confirmations	Environmental Confirmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs

Subject to change without notice
© Copyright Siemens

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG7234-1
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5SG7234-1
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG7234-1
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications



last modified: 4/12/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens