SIEMENS

Data sheet 5ST3651

Pin busbar, 16 mm2 connection: 2x 4-phase touch-safe




Figure similar

product brand name	SENTRON
product designation	Pin busbar
design of the product	2x (3PH+N)
design of the phase tap	L1/L2/L3/N
General technical data	
compatibility	for 2 MCBs (4P/3P+N)
design of pole	3P+N
phase number	4
operational current rated value	80 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
color	light grey
Product details	
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
● suitable for compact devices	No
● can be cut	No
number of devices suitable for fitting	2
type of electrical connection	Pin
Mechanical Design	
module width	18 mm
height	19 mm
width	13 mm
length	140 mm
number of modular width units	8
cross-section	16 mm²
angle of the pin of busbar	0°
Net Weight	79 g
Approvals Certificates	

General Product Approval			other	
UK CA	CE EG-Konf.	Miscellaneous	EAC	产品合格 QC PASS	Confirmation


other	Environment

Subject to change without notice
© Copyright Siemens


Miscellaneous | Environmental Con-firmations | Environmental Con-firmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3651
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5ST3651
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3651
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications



© Copyright Siemens



last modified: 8/8/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens