SIEMENS

Data sheet 5ST3704

Pin busbar touch-safe, 16 mm2 2-phase, 214 mm long can be cut, with end caps




Figure similar

product brand name	SENTRON
product designation	Pin busbar
design of the product	6x (1PH+N)
design of the phase tap	L1/L2 oder L1/N
General technical data	
compatibility	for 2 MW devices (2P/1P+N)
phase number	2
operational current rated value	80 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
color	light grey
Product details	
product component with end cap	Yes
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
● suitable for compact devices	No
● can be cut	Yes
number of devices suitable for fitting	6
type of electrical connection	Pin
Mechanical Design	
module width	18 mm
height	15 mm
width	18 mm
length	214 mm
number of modular width units	12
cross-section	16 mm²
angle of the pin of busbar	0°
Net Weight	96 g
Approvals Certificates	


General Product Approval				**other**
UKCA	CE EG-Konf.	Confirmation	Miscellaneous	EAC 产品合格 QC PASS

other	**Environment**


Subject to change without notice
© Copyright Siemens

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3704
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5ST3704
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3704
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications



© Copyright Siemens



last modified: 8/8/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens