SIEMENS

Data sheet 5ST3716

Pin busbar touch-safe, 16 mm2 4-phase, 1016 mm long can be cut, without end caps



Figure similar

product brand name	SENTRON
product designation	Pin busbar
design of the product	14x (3PH+N)
design of the phase tap	L1/L2/L3/N
General technical data	
compatibility	for MCBs 4P or 3P+N
design of pole	3P+N
phase number	4
operational current rated value	80 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
color	light grey
Product details	
product component with end cap	No
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
● suitable for compact devices	No
● can be cut	Yes
number of devices suitable for fitting	14
type of electrical connection	Pin
Mechanical Design	
module width	18 mm
height	18 mm
width	20 mm
length	1 016 mm
number of modular width units	56
cross-section	16 mm²
angle of the pin of busbar	0°
Net Weight	798 g
Approvals Certificates	
General Product Approval	**other**

Confirmation Miscellaneous

Subject to change without notice
© Copyright Siemens


other		Environment	
Confirmation	Miscellaneous	Environmental Con-firmations	Environmental Con-firmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3716
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5ST3716
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3716
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications



© Copyright Siemens



last modified: 8/8/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens